

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20040126033").PN.	US-PGPUB	OR	OFF	2008/12/17 15:36
L2	2	(domain and range and similar \$4 and classify\$4 and standard and deviation).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:50
L3	1	(domain and range and similar \$4 and classify\$4 and standard and deviation and improve\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:51
L4	4	((("20030095723") or ("20030179953")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L5	2	("7155069").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L6	4	((("7046862") or ("7155069")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L7	7	((("5453788") or ("6141017") or ("6928397") or ("6928397") or ("5453788") or ("5535007") or ("5901274") or ("5335296") or ("5029017")).PN.	USPAT	OR	OFF	2008/12/17 15:52
L8	7	((("5453788") or ("6141017") or ("6928397") or ("6928397") or ("5453788") or ("5535007") or ("5901274") or ("5335296") or ("5029017")).PN.	USPAT; USOCR	OR	OFF	2008/12/17 15:52
L9	2	("20040126033").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52

L10	4	((("7155069") or ("7046862")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L11	5111	382/254,224,266,275.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L12	82235	image with quality with improv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L13	2536	reduc\$3 with range with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L15	25	("4694407" "4789933" "4941193" "4953214" "5065447" "5148497" "5347600" "5384867" "5416856" "5430812").PN. OR ("5701369").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/17 15:52
L16	2	("6000000").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L17	2	("7000000").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L18	6	((("7000000") or ("6000000") or ("5000000")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L19	1801	improv\$4 with (domain or range) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L20	912	reduc\$3 with domain with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L21	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L22	61	L21 and L20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L23	114	L19 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L24	3118	(flat or background or smooth) and (edge or contour) and (noise) and (texture) and deviation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L27	775	(range near3 block) and (domain near3 block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L29	55921	(domain or range) same class \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L30	909	((domain or range) with block) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L33	7	((US-20050264568-\$).did. or (US-5862263-\$ or US-5416856- \$ or US-5838833-\$ or US- 5701369-\$ or US-6002794-\$ or US-5870502-\$).did. or (GB- 2299912-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/12/17 15:52

L34	5	L33 and class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L35	2	L33 and color	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L36	4	L33 and noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L37	2	("5701369").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L38	2	("6002794").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/17 15:52
L39	14960	edge near2 enhanc\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L40	95	L39 with (maximum and minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L41	0	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L42	2341	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L43	76	concave/ convex with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L44	21737	(domain or range) near2 block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L46	1	L44 same (class\$6 with standard adj deviation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L47	12	classif\$4 same (standard near deviation) same (concave or convex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L48	1339	classif\$4 and (standard near deviation) and (concave or convex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L55	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L56	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L57	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L66	5111	382/254,224,266,275.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L67	82235	image with quality with improv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L68	2536	reduc\$3 with range with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L74	1801	improv\$4 with (domain or range) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L75	912	reduc\$3 with domain with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L76	82235	image with quality with improv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L77	114	L74 and L76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L80	3118	(flat or background or smooth) and (edge or contour) and (noise) and (texture) and deviation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L82	775	(range near3 block) and (domain near3 block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L84	55921	(domain or range) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L85	909	((domain or range) with block) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L96	1339	classif\$4 and (standard near deviation) and (concave or convex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L98	21737	(domain or range) near2 block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L100	14960	edge near2 enhanc\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L101	1	L98 same (class\$6 with standard adj deviation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L103	0	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L104	2341	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L117	5111	382/254,224,266,275.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L118	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L119	2536	reduc\$3 with range with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L125	1801	improv\$4 with (domain or range) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L126	912	reduc\$3 with domain with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L127	82235	image with quality with improv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L129	114	L125 and L127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L130	3118	(flat or background or smooth) and (edge or contour) and (noise) and (texture) and deviation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L133	775	(range near3 block) and (domain near3 block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L135	55921	((domain or range) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L136	909	((domain or range) with block) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L145	14960	edge near2 enhanc\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L147	0	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L148	2341	concave/convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L150	21737	(domain or range) near2 block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L152	1	L150 same (class\$6 with standard adj deviation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L154	1339	classif\$4 and (standard near deviation) and (concave or convex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L161	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L162	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L163	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L172	5111	382/254,224,266,275.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L173	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L174	2536	reduc\$3 with range with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L180	1801	improv\$4 with (domain or range) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L181	912	reduc\$3 with domain with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L182	82235	image with quality with improv \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L183	114	L180 and L182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L186	3118	(flat or background or smooth) and (edge or contour) and (noise) and (texture) and deviation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L188	775	(range near3 block) and (domain near3 block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

L190	55921	(domain or range) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L191	909	((domain or range) with block) same class\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L202	1339	classif\$4 and (standard near deviation) and (concave or convex)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L204	21737	(domain or range) near2 block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L206	14960	edge near2 enhanc\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L207	1	L204 same (class\$6 with standard adj deviation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L209	0	concave/ convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52
L210	2341	concave/ convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:52

12/ 17/ 2008 3:58:50 PM

C:\Documents and Settings\JTorres2\My Documents\EAST\Workspaces\10705433.wsp